

# Download The Daschner Guide To In Hospital Antibiotic Therapy

Prevention of hospital-acquired infections A PRACTICAL GUIDE 2nd edition Editors G. Ducloux, Fondation Hygie, Geneva, Switzerland J. Fabry, Université Claude-Bernard, Lyon, France Legionella bacteria are intracellular pathogens and are important causes of community-acquired and nosocomial pneumonia. Pneumonia caused by Legionella bacteria is termed Legionnaires' disease. Legionnaires' disease can be severe, and early administration of appropriate antimicrobial therapy is ...What's New. Giamarellou H, et al. Double-carbapenem regimen for carbapenemase-producing pandrug-resistant Klebsiella pneumoniae infections: Is it really effective in humans? Antimicrob Agents Chemother 2013; [Epub ahead of print]. Qureshi ZA, et al. Treatment outcome of bacteremia due to KPC-producing Klebsiella pneumoniae: Superiority of combination antimicrobial regimens. Importance of the field: Acinetobacter baumannii has emerged as a major cause of healthcare-associated infections. It commonly presents resistance to multiple antimicrobial agents, occasionally including carbapenems and polymyxins, and hence, it is considered the paradigm of multidrug-resistant (MDR) or pandrug-resistant (PDR) bacterium. MDR A. baumannii is a rapidly emerging pathogen ...